



CSC LED Corp. - FLF SERIES FLOOD/AREA LIGHTS



www.csc-led.com

CSC LED Corp.
Manufacturers/Importers of Industrial and Commercial Lighting for the Wholesale Industry
245 Southgate Drive, Unit 2, Guelph, ON Canada N1G 3M5
P: 519.880.9833 888.900.9885 E: info@csc-led.com



FLF Series of Flood and Area Lights

FLF SERIES



Part Number	FLF155YYZZ	FLF305YYZZ	FLF505YYZZ	FLF805YYZZ
Power	15W	30W	50W	80W
Lumens	1,450 lm	2,900 lm	4,900 lm	9,000 lm
Input Voltage	120-277V	120-277V	120-277V	120-277V
Certification	cUL, DLC, RoHS	cUL, DLC, RoHS	cUL, DLC, RoHS	cUL, DLC, RoHS
CRI	>80	>80	>80	>80
Colour Temperature	5,000K	5,000K	5,000K	5,000K
Beam Angle	90x120°	90x120°	90x120°	90x120°
Warranty	5 year	5 year	5 year	5 year
PFC	0.9	0.9	0.9	0.9
Waterproof Rating	IP65	IP65	IP65	IP65
Operating Temperature	-40° to 55°C	-40° to 55°C	-40° to 55°C	-40° to 55°C
Housing	Aluminum	Aluminum	Aluminum	Aluminum
Finish	6mm, powder coat, matte black	6mm, powder coat, matte black	6mm, powder coat, matte black	6mm, powder coat, matte black
Carton Qty	18	10	6	1
Note:	1m - cUL listed cable included. Optional slip fitter adaptor available: Slipfit-UV	1m - cUL listed cable included. Optional slip fitter adaptor available: Slipfit-UV	1m - cUL listed cable included. Optional slip fitter adaptor available: Slipfit-UV	1m - cUL listed cable included. Optional slip fitter adaptor available: Slipfit-UV

0-10V Dimmable Driver
standard on all



Part Number	FLF1005YYZZ	FLF1005-SF	FLF1005-HA
Power	100W	100W	100W
Lumens	11,000 lm	11,000 lm	11,000 lm
Input Voltage	120-277V	120-277V	120-277V
Certification	cUL, DLC, RoHS	cUL, DLC, RoHS	cUL, DLC, RoHS
CRI	>80	>80	>80
Colour Temperature	5,000K	5,000K	5,000K
Beam Angle	90x120°	90x120°	90x120°
Warranty	5 year	5 year	5 year
PFC	0.9	0.9	0.9
Waterproof Rating	IP65	IP65	IP65
Operating Temperature	-40° to 55°C	-40 to 55°C	-40 to 55°C
Housing	Aluminum	Aluminum	Aluminum
Finish	6mm, powder coat, matte black	6mm, powder coat, matte black	6mm, powder coat, matte black
Carton Qty	1	1	1
Note:	1m - cUL listed cable included. Optional slip fitter adaptor available: Slipfit-UV		



Optional slip fitter adaptor
Part #: Slipfit-UV

FLF SERIES



Life (L70):
100,000+
Hours
standard on all

Part Number	FLF1505YYZZ	FLF1505-SF	FLF1505-HA
Power	150W	150W	150W
Lumens	15,000 lm	15,000 lm	15,000 lm
Input Voltage	120-277V	120-277V	120-277V
Certification	cUL, DLC, RoHS	cUL, DLC, RoHS	cUL, DLC, RoHS
CRI	>80	>80	>80
Colour Temperature	5,000K	5,000K	5,000K
Beam Angle	90x120°	90x120°	90x120°
Warranty	5 year	5 year	5 year
PFC	0.9	0.9	0.9
Waterproof Rating	IP65	IP65	IP65
Operating Temperature	-40 to 55°C	-40° to 55°C	-40° to 55°C
Housing	Aluminum	Aluminum	Aluminum
Finish	6mm, powder coat, matte black	6mm, powder coat, matte black	6mm, powder coat, matte black
Carton Qty	1	1	1
Note:	1m - cUL listed cable included. Optional slip fitter adaptor available: Slipfit-UV		




All FLF series products are DLC LISTED



Part Number	FLF2205YYZZ	FLF3005YYZZ
Power	220W	300W
Lumens	25,600 lm	30,800 lm
Input Voltage	120-277V	120-277V
Certification	cUL, DLC, RoHS	cUL, DLC, RoHS
CRI	>80	>80
Colour Temperature	5,000K	5,000K
Beam Angle	90x120°	90x120°
Warranty	5 year	5 year
PFC	0.9	0.9
Waterproof Rating	IP65	IP65
Operating Temperature	-40° to 55°C	-40° to 55°C
Housing	Aluminum	Aluminum
Finish	6mm, powder coat, matte black	6mm, powder coat, matte black
Carton Qty	1	1
Note:	1m - cUL listed cable included. Optional slip fitter adaptor available: Slipfit-UV	1m - cUL listed cable included. Optional slip fitter adaptor available: Slipfit-UV



Individual product sheets and photometry information available at www.csc-led.com



CSC LED Corp.

**Manufacturers/Importers of Industrial and Commercial Lighting
for the Wholesale Industry**

245 Southgate Drive, Unit 2, Guelph, ON Canada N1G 3M5

P: 519.880.9833 888.900.9885 E: info@csc-led.com

www.csc-led.com